

- PURE BRONZE 90% COPPER AND 10% TIN
- TRADITIONAL HANDCRAFTED DESIGNS
- WILL NEVER RUST LASTS A LIFETIME
- CUSTOM FABRICATION AND DESIGN

Coastal Bronze was created to provide a reliable and cost effective source for all solid bronze hardware in rustic old world designs for coastal areas and rustic settings. Coastal Bronze products fill a gap that has existed for years in hardware lines for these types of products.

NON-LATCH SIDE

SIDE OF 2,

LATCH SIDE

Introduction

In 2006, we recognized a niche in the hardware industry where the environmental elements weighed

heavily on the man made structures within it. Necessity lead to discovery, and discovery lead to the creation of **Coastal Bronze**.

We offer a full line of traditional pure bronze hardware solutions for gates, doors, windows, new construction and remodels. We provide a unique solution for any structure that requires a life long product to combat the harsh outdoor elements while maintaining a classic and charming design.

- Cost Effective and Reliable Old World Designs
- Custom Design and Fabrication for Unique and Challenging Hardware Scenarios
- A Vision Driven by Our Partners as well as the End Users of Our Products
- Dedication to Outstanding Customer Service, Striving to Exceed Expectations



Commitment To The Environment

At Coastal Bronze, our recycled bronze products represent our commitment to the environment.

We care about the planet at Coastal Bronze. With future generations in mind, we carefully choose Manufacturing Materials with the intent of a greater contribution to the health of the environment. Our hardware is manufactured from recycled copper as well as tin salvaged from various sources for a purely recycled process. While our hardware is 100% recycled material, our sub-assemblies and screws are non-recycled.







60-100 Ring Turn Drop Bar LatchOperable from Both Sides. Drop Bar 7"
Back Plate 2-3/4" x 4-1/2", Ring Diameter 3-1/2"
Handing Required Right Hand Pictured



60-200
Large Ring on Plate
Back Plate 2-3/4" x 4-1/2"
Ring Diameter 4-3/4"
Can be used with Spring Latch



60-110 Ring Turn on Plate Back Plate 2-3/4" x 4-1/2" Ring Diameter 3-1/2" Can be used with Spring Latch

60-310 Lever on Plate Back Plate 2-3/4" x 4-1/2" Lever 6" x 1", 3-1/4" Proj. Can be used with Spring Latch





60-300 Lever Drop Bar LatchOperable from Both Sides. Drop Bar 7"
Back Plate 2-3/4" x 4-1/2", Lever 6" x 1"
Handing Required Left Hand Pictured







90-100 - Surface Slide Bolt 8" x 1-3/4"



90-200 - Surface Slide Bolt 4" x 1-1/2"

70-300-14 - Surface Slide Bolt14" x 1-1/2" **70-300-20 - Surface Slide Bolt**20" x 1-1/2"



70-300 - Shutter Slide Bolt 6-1/2" x 1-1/2" Catch 2" x 1-1/2" Throw 2"





90-110 - Mortise Plate For 8" Slide Bolt 90-111 - Mortise Plate For 6-1/2" Slide Bolt 90-112- Mortise Plate For 4" Slide Bolt



90-114 - Universal Plate For 4" & 6-1/2" Slide Bolt 90-115 - Universal Plate For 8" Slide Bolt



Thumb Latches



40-300 Side View Tail Piece 3-3/4"



40-310 **Thumb Latch** 10" Long 2-1/4" Wide



Drop Bars

50-100 Drop Bar with Knob Bar 7-1/2"

Catch Plate 3-3/4" x 1"

50-125 Drop Bar no Knob Bar 7-1/2"

Catch Plate 3-3/4" x 1"



40-300

8" Long

Thumb Latch

1-3/4" Wide

50-510 Reverse Bar Catch 1-7/8" x 2-3/8" 1/2" Thick

50-500





Catch Plate 4" x 3/4"



50-130 Reverse Drop Bar





Latch Side Handle 8-3/4" x 1-3/4"

Double Thumb Latch 10"

40-350 (Gate 1-1/2" to 1-7/8" Thick)

40-355 (Gate 2" to 2-3/8" Thick)


40-360 (Gate 2-1/2" to 2-7/8" Thick)

40-365 (Gate 3" to 3-1/2" Thick)

Handle 10" x 2"

Latch Side Handle 10-3/4" x 2"





20-120 Non Active Strap Hinge 20" x 2-1/2"



20-115 Non Active Strap Hinge

15" x 2-1/4"

Also Available

20-112 Non Active Strap Hinge 12" x 2"

20-108 Non Active Strap Hinge 8" x 2"

20-105 Non Active Strap Hinge 5" x 1-1/2"



20-413 Non Active Band Hinge

4" Back Edge 13" x 2" - 1/4" Thick

20-422 Non Active Band Hinge

4" Back Edge 22" x 2" x 1/4" Thick



20-155 Non Active Band Hinge

28" x 2" - 1/4" Thick



20-150 Non Active Band Hinge

22" x 2" - 1/4" Thick



20-145 Non Active Band Hinge

15" x 2" - 1/4" Thick




20-140 Non Active Band Hinge


10" x 2" - 1/4" Thick





20-330 Band Hinge 30" x 2" - 1/4" Thick







20-312 - Band Hinge 12" x 2" - 1/4" Thick

One pair (2) Band Hinges will support up to 140 lbs. 3 Band Hinges will support up to 225 lbs.



Arch Band Hinge

20-312-A - 12" x 1-1/4" - 1/4" Thick **20-317-A** - 17" x 1-1/4" - 1/4" Thick **20-324-A** - 24" x 1-1/4" - 1/4" Thick **20-330-A** - 30" x 1-1/4" - 1/4" Thick





12" x 1-1/4" - 1/4" Thick 20-260 - Pintle on Plate - Small 1-1/4" x 3-3/4"

One pair (2) Band Hinges will support up to 60 lbs. 3 Band Hinges will support up to 100 lbs.






Lags are for band hinges only



Right and Left Hand Available





One Pair (2) Hinges Will Support Up To 250 lbs.

3 Hinges Will Support Up To 350 lbs.

Handling Required Left Hand Pictured



Mounting Plate 2" x 6-1/4"



20-500 H-Hinge Bolt 4-7/8" x 7" 4-1/2" At Pin Barrel 3/4" Specify Square or Hex Lags


20-501 H-Hinge Screw 4-7/8" x 7" 4-1/2" At Pin Barrel 3/4" Countersunk #18 x 2" Screw

20-305 Edge Mount Hinge 5" x 2" Works with any Pintle





20-310 T-Band Hinge 7-1/2" Tall 1-5/8" Wide Works with any pintle Pintle not included







30-400 Button Tip 4" x 4"

Heavy Duty Hinges 4" x 4"

• Stainless Screw: #12 x 1-1/2"

• Thickness: .26"

Hinges are casted and may vary slightly.



30-401 Ball Tip 4" x 4"



30-402 Steeple Tip 4" x 4"



30-450 Spring Hinge

- 4-1/2" x 4-1/2"
- Stainless Steel
- Stainless Spring



30-410 Template Hinge 4" x 4" 30-420 Template Hinge 4-1/2" x 4-1/2"

- Bronze Screws: #12 x 1-1/4"
- Thickness: .13"
- Smooth Finish



30-405 Button Tip 5" x 4-1/2" 30-406 Ball Tip 5" x 4-1/2" 30-407 Steeple Tip 5" x 4-1/2"

High Load Hinges 5" x 4-1/2"

- Stainless Screw: #18 x 2"
- Thickness: .27"

Hinges are casted and may vary slightly.







30-100 Deadbolt Square 2-1/2" x 3"







30-110 Deadbolt Arch



2-1/2" x 3"



30-265 Patio Deadbolt Square

30-250 Patio Bolt Square 2" x 3"

30-270 Patio Deadbolt Arch 30-251 Patio Bolt Arch 2" x 3"





30-120 Deadbolt Euro 2-1/2" x 3"



30-275 Patio Deadbolt Euro 30-252 Patio Bolt Euro





30-200 Deadbolt Square 2" x 2-1/2" WARNING: Will Not Fit on Pre Cut Doors, Minimum Thickness 1-3/4"







with three keepers





7-1/2" Tall
Works on Gates up to 2" thick
Must be mounted in concrete







70-110 - Grill 14-1/4" x 14-1/4" Bar 1/2" x 1/2" 2 Bars by 2 Bars

70-100 - Grill 14-1/4" x 14-1/4" Bar 1/2" x 1/2" 3 Bars by 2 Bars

50-710 Cabin Hook - 10-1/2" Mount Plates - 1-1/2" x 1-1/4"

50-705 Cabin Hook - 7-1/2" Mount Plates - 1-1/2" x 1-1/4"


50-700 Cabin Hook - 4-1/2" Mount Plates - 1-1/2" x 1-1/4"




Gate Latches and Locks

50-400 Bar Latch Plate 2" x 2" Drop Bar 4" Long













50-410 **Gate Mortise Lock Plates** 1-3/4" x 1-3/4" Square 1-1/4" x 1-1/4" Ears Set of 2



Gate Stop and Closer



50-250 Gate Stop 2" x 2", 1-3/4" Tall Comes with Stop Pad



50-600 Cannon Ball Gate Closer 3" Diameter

Weighs 5 lbs.

Comes with 5 feet of chain

50-605 Cannon Ball Gate Closer

3" Diameter

Weighs 8 lbs.

Comes with 5 feet of chain



Cabinet Hardware






80-800 - Round Knob on Plate Knob 1" Diameter Back Plate 1-1/4" Diameter





80-810 - Oval Knob on Plate Knob 1-3/8" Diameter Back Plate 1-1/4" Diameter







80-820 - Pull Handle Wide 5" Tall 1" Center 4"



80-830 - Bin Pull Wide 4" Tall 1-1/2" Center 3-3/8"



Pull Handles



40-710 - Bar Pull Handle 8" cc 8-7/8" Over All

40-700 - Bar Pull Handle 11-1/2" cc 12-1/2" Over All

40-725 - Bar Pull Handle 16-1/2" cc 17-1/2" Over All





Door Stud Square 90-810 - 2" 90-510 - 1-1/4" 90-500 - 1"



Door Stud Round 90-860 - 2" 90-560 - 1"





Shutter Hardware



70-600 - 1-1/4" Offset **70-610** - 2-1/4" Offset **New York Style** 4 1/4" Tall x 6" Wide



70-800 - 1-1/4" Offset **70-805 -** 2-1/4" Offset **Jam Mount Pintle** Can be substituted for Pintle on Plate



70-620 - 1-1/4" Offset **70-625 -** 2-1/4" Offset **T-Hinges**



70-700 - 1-1/4" Offset **70-710 -** 2-1/4" Offset **Shutter Strap** 1-1/4" Wide x 10" Long



70-500 - Shutter Dog 7" x 2-1/2" Lag 4-1/2" Right and left hand available

60-105 - Shutter Ring Back Plate 2" x 2-1/2" Ring Diameter 2"



70-300 - Shutter Slide Bolt 6-1/2" x 1-1/2" Catch 2" x 1-1/2" Throw 2"





Bahama Hardware

70-650 - 3/4" Offset **Bahama Shutter Strap** 1-1/4" Wide x 10" Long



70-655 - 3/4" Offset **Bahama Shutter Strap Double** 1-1/4" Wide x 10" Long



70-680 Bahama Shutter Stay20" Long
Mounting Pad 2" x 5/8"





Window Hardware



60-350 LH Euro Lever Latch with Flat Catch Operable From Both Sides. Lever - 5-1/2" x 1" - 2-1/2" Proj. Back Plate 4-3/4" x 3-1/4" Handling Required Left Hand Shown



1-3/4" x 3-1/4" Flat Catch

1-3/4" x 3-1/4" Flat Catch

60-360 LH Arch Lever Latch with Flat Catch Operable From Both Sides. Lever - 4-3/4" x 3/4" - 2-1/4" Proj. Back Plate 4-3/4" x 3-1/4" Handling Required Left Hand Shown







Please Specify Mortise Strike or Flat Catch





400-40 Case Latch **Case Latch** 5-1/4" x 3" Tall 3/4" Thick Drop Bar Projection 1-1/2" Catch 3-1/4" x 3/4" Backset 1-1/2" to 2" Handed Right or Left

Case Latch is one side ONLY.
Case Latch will work with any 1/2 dummy of any door hardware sets.



